



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6282284
Dated/दिनांक : 28-05-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	18-06-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	18-06-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	Indian Institute Of Management (iim)
Office Name/कार्यालय का नाम	Bihar
क्रैता ईमेल/Buyer Email	buycon1.iim.bodhgaya@gembuyer.in
Total Quantity/कुल मात्रा	10695
Item Category/मद केटेगरी	PVC Modular Box 3M , Cover Plate 3M , Ceiling Rose , Batten Holder , Double Pole MCB 63 Amp , Four Pole TPN MCB 63 Amp , Lug Pin Type 16 sqmm , Lug Ring Type 16 sqmm , 6 MM Fastener , 8 MM Fastener , 12 MM Fastener , LED Tube Light 36 Watt , LED Bulb 12 Watt , 3 Pin Top 16 Amp , 3 Pin Top 6 Amp , 1.5 HP Submersible water sealed pump with starter , Switch 6 Amp One Way Non Modular , Socket 6 A Non Modular , Fan regulator Non Modular , 2.5 mfd. Capacitor , 60 mfd. Capacitor , 100 120 mfd. Capacitor , Water Proof Tape , 1.5 hp starter , 25mm Aluminium Line Connector , 50mm Aluminium Line Connector , 70mm Aluminium Line Connector , 95mm Aluminium Line Connector , 120mm Aluminium Line Connector , 25mm Aluminium Lugs Ring type , 35mm Aluminium Lugs Ring type , 50mm Aluminium Lugs Ring type , 70mm Aluminium Lugs Ring type , 95mm Aluminium Lugs Ring type , 120mm Aluminium Lugs Ring type , 150mm Aluminium Lugs Ring type , 240mm Aluminium Lugs Ring type , 300mm Aluminium Lugs Ring type , 400mm Aluminium Lugs Ring type , Heat gun , W D 40 500 ML Each , CRC 500 ML Each , 0.5 inch Ceiling Black Screw , 1 inch Ceiling Black Screw , 1.5 inch Ceiling Black Screw , 2 inch Ceiling Black Screw , 2.5 inch Ceiling Black Screw , 60 x2.0 mm Cable Ties , 100 x 2.2 Cable Ties , 150 x 2.5 Cable Ties , 200 x 7.6 mm Cable Ties , 300 x 7.6 mm Cable Ties , 5x5 inch Hylam sheet , 6x8 inch Hylam sheet , 8x12 inch Hylam sheet , 6 MM Drill Bit , 8 MM Drill Bit , 10 MM Drill Bit , 12 MM Drill Bit , 16 MM Drill Bit , 18 MM Drill Bit , 20 MM Drill Bit , Machine screw 1.5 Inch , Pop up Box 1 Universal socket 1 Switch

Bid Details/बिड विवरण**GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS**

PVC Modular Box 3M, Cover Plate 3M, Ceiling Rose, Batten Holder, Double Pole MCB 63 Amp, Four Pole TPN MCB 63 Amp, Lug Pin Type 16 sqmm, Lug Ring Type 16 sqmm, 6 MM Fastener, 8 MM Fastener, 12 MM Fastener, LED Tube Light 36 Watt, LED Bulb 12 Watt, 3 Pin Top 16 Amp, 3 Pin Top 6 Amp, 1.5 HP Submersible water sealed pump with starter, Switch 6 Amp One Way Non Modular , Socket 6 A Non Modular , Fan regulator Non Modular , 2.5 mfd. Capacitor, 60 mfd. Capacitor, 100 120 mfd. Capacitor, Water Proof Tape, 1.5 hp starter , 25mm Aluminium Line Connector, 50mm Aluminium Line Connector, 70mmAluminium Line Connector, 95mm Aluminium Line Connector, 120mm Aluminium Line Connector, 25mm Aluminium Lugs Ring type, 35mm Aluminium Lugs Ring type, 50mm Aluminium Lugs Ring type, 70mm Aluminium Lugs Ring type, 95mm Aluminium Lugs Ring type, 120mm Aluminium Lugs Ring type, 150mm Aluminium Lugs Ring type, 240mm Aluminium Lugs Ring type, 300mm Aluminium Lugs Ring type, 400mm Aluminium Lugs Ring type, Heat gun, W D 40 500 ML Each , CRC 500 ML Each , 0.5 inch Ceiling Black Screw, 1 inch Ceiling Black Screw, 1.5 inch Ceiling Black Screw, 2 inch Ceiling Black Screw, 2.5 inch Ceiling Black Screw, 60 x2.0 mm Cable Ties, 100 x 2.2 Cable Ties, 150 x 2.5 Cable Ties, 200 x 7.6 mm Cable Ties, 300 x 7.6 mm Cable Ties, 5x5 inch Hylam sheet, 6x8 inch Hylam sheet, 8x12 inch Hylam sheet, 6 MM Drill Bit, 8 MM Drill Bit, 10 MM Drill Bit, 12 MM Drill Bit, 16 MM Drill Bit, 18 MM Drill Bit, 20 MM Drill Bit, Machine screw 1.5 Inch, Pop up Box 1 Universal socket 1 Switch

Searched String: PVC Modular Box 3M

modular electrical enclosure switch board boxes for modular type accessories, Electrical Box Extension (V2), PVC Item (Gujarat Govt), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Polypropylene Ropes as per IS 5175, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, HT Tape, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, Modular Work Stations (V2)

Searched String: Cover Plate 3M

Vehicle Cover, Sofas (V2), quilt cover, modular electrical enclosure switch board boxes for modular type accessories, Cover Slip, Entry and Mid Level Desktop Computer, Camera Cover, Disposable Cautery Plate / Pad (V2), Report Cover, Bucket Mop Wringer Trolley

Searched String: Ceiling Rose

Ceiling rose - IS 371, Air Freshener Solid and Gel, Rose Seeds, Wiper Ceiling Bungie, Air Freshener Liquid, Ceiling OT Light, LED Surface Ceiling Light as per IS 10322, (Vitreous China) - Shower Rose-IS:2556, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Ceiling OT Light (V2)

Searched String: Batten Holder

LED Batten, LED Batten with Battery / Invertor, Plastic

Bid Details/As per

Moulded Table - Preschool Kit, Gouging holder, Dumbbell Rack, Soldering Clamp Holder, Badge Holders - I Card, Ryder Needle Holder, Tooth brush Holder, Plane Mirror Strip Holder

Searched String: Double Pole MCB 63 Amp

Octagonal Pole with Single Arm or Double Arm Brackets (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Polypropylene Ropes as per IS 5175, Cellophane paper, Precision Height Gauge, D and C Set, bi distillation units double distillation water unit, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1

Searched String: Four Pole TPN MCB 63 Amp

Polypropylene Ropes as per IS 5175, Plastic Moulded Table - Preschool Kit, Laminators

Searched String: Lug Pin Type 16 sqmm

Lead Acid Batteries - Plante Type as per IS 1652:1991, Pin Up Notice Board (V2), Non - Smooth External Surface Pipe, Type B as per IS 16098, Electrical connection Lugs or thimbles, Water Mist Type Wheeled Fire Extinguishers (V2) as per IS 16018, Electrical Box Extension (V2), Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Aerial Bunched Cables as per IS 14255, General Purpose Lead - Acid Batteries (Valve Regulated Types) Prismatic Design as per IS 16220 (Part 1), Net Camouflage Shrimp Type (Defence)

Searched String: Lug Ring Type 16 sqmm

Ring Type Needle Bearings - IS 4215, Net Camouflage Shrimp Type (Defence), Lead Acid Batteries - Plante Type as per IS 1652:1991, Electrical connection Lugs or thimbles, Non - Smooth External Surface Pipe, Type B as per IS 16098, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Water Mist Type Wheeled Fire Extinguishers (V2) as per IS 16018, Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Recirculating chiller

Searched String: 6 MM Fastener

6-Benzylaminopurine, MM Personality inventory, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 6 - Mercaptopurine Tablet, Cat 6 Patch cord, Hot Rolled Round Steel Bars as per IS 1732, CAT 6 Information outlet, Protective PX-6- Defence, Customised Envelopes, 6 - Mercaptopurine Tablets (V2)

Searched String: 8 MM Fastener

HDMI 8 x 8 Switcher, 8-Hydroxyquinoline, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, MM Personality inventory, Desktop Computers, Transmission Oil TSZP-8, Hot Rolled Round Steel Bars as per IS 1732, Figure 8 Descender (V2), BCAA 8:1:1 Powder, 81 MM Mortar Simulator (MHA)

Searched String: 12 MM Fastener

Bid Details/As per	MM, Personality inventory, Carbendazim 12 % + Mancozeb 63 % WP, Registered Barcode Stickers (Single) of 'RD'
	<p>Series, Emamectin 3% + Thiamethoxam 12% WG, 12 In One Board Book (Preschool Kit), Hot Rolled Round Steel Bars as per IS 1732, 81 MM Mortar Simulator (MHA), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Tube 35 mm-OFB, Harberium Cabinet</p> <p>Searched String: LED Tube Light 36 Watt</p> <p>LED Tube Light (Retrofit Type), LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Batten, synthetic web equipment improved version, LED Flash Light, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Bulkhead Light, Led Flood Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Tube Lights for Retrofitting at Installations (ONGC)</p> <p>Searched String: LED Bulb 12 Watt</p> <p>T Bulb, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Bulb with Battery as per IS 16102, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Hand Held Search Light, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Inspection Lamp, White - LED Based Solar Street Lighting System, Led Flood Light, Laboratory Condenser</p> <p>Searched String: 3 Pin Top 16 Amp</p> <p>Multi-Pin electrical top for industrial appliication, Electrical Box Extension (V2), Tactical 3 Point Sling Universal marked to IS 16725, Polypropylene Ropes as per IS 5175, Tactical 3 Point Sling Universal as per IS 16725, Desktop Computers, Tactical 3 Points Sling Universal (V2) as per IS 16725, Electrical Box Extension (V3), Ceric Ammonium Nitrate, Fabric Pin Up Notice Boards</p> <p>Searched String: 3 Pin Top 6 Amp</p> <p>Multi-Pin electrical top for industrial appliication, Electrical Box Extension (V2), Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Polypropylene Ropes as per IS 5175, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Cat 6 Patch cord, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Desk and Bench Set for Classroom/Training Area, Electrical Box Extension (V3), Fabric Pin Up Notice Boards</p> <p>Searched String: 1.5 HP Submersible water sealed pump with starter</p> <p>Submersible Pump Starters (Motor starter controls), Labelling Machine, Submersible Pump Set Single Phase as per IS 8034, Portable Sealed Rechargeable Single Cells - Nickel - Metal Hydride (Rechargeable Batteries) as per IS 16048, 16046, Submersible Pump Set Three Phase as per IS 8034, IS 9283, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018</p> <p>Searched String: Switch 6 Amp One Way Non Modular</p> <p>Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical switches and accessories, Non - Modular Piano Type</p>

Bid Details/As per	Domestic Electrical Switches as per IS 3854, Electrical Box Extension (V3), Polypropylene Ropes as per IS 5175,
	<p>Cellophane paper, Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Domestic Fan Regulator as per IS 11037</p> <p>Searched String: Socket 6 A Non Modular</p> <p>Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Multipara Monitor - Low End, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Piano Type Modular Domestic Electrical sockets - IS 1293, modular electrical switches and accessories, Non Sparking Socket Spanner-IS:4595, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Glass Tableware, Ceiling rose - IS 371, Connector Mounting Hardware - Multi Plug</p> <p>Searched String: Fan regulator Non Modular</p> <p>Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Multipara Monitor - Low End, Piano Type Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Voltage regulator for domestic fans, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Ceiling rose - IS 371, modular electrical switches and accessories, Electric Pedestal Type Fan and Regulator as per IS 1169</p> <p>Searched String: 2.5 mfd. Capacitor</p> <p>5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, Electrical Box Extension (V3), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Server, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Static Protective Relays, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: 60 mfd. Capacitor</p> <p>Capacitor Banks For Use On 11 KV System (PSPCL)), Online UPS (V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Cotton Pillow, Bulk Bitumen 60/70, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, TLC plate, Silica gel 60, Cellophane paper, DAFC-60% (Glycol Based Antifreeze Coolant) -Defence, Pole Mounted Stainless Steel Dustbin (V2)</p> <p>Searched String: 100 120 mfd. Capacitor</p> <p>Online UPS (V2), Electric Axial Flow Fans Conforming To IS 3588, LED Luminaire for High Bay Lighting, Shot Put - Athletics, modular electrical switches and accessories, Scantling teak wood, Micro Spatula-IS:3888, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1)</p> <p>Searched String: Water Proof Tape</p> <p>Bag Water Proof, water baths, Wind / Water Proof Gloves (Defence), tape dispensers, Environmental Chamber, Dress for Aquatic Disaster Response During Rain - Water Proof</p>

Bid Details/As per	Jacket for NDRF, Dress for Aquatic Disaster Response During Rain - Water Proof Trouser for NDRF, RO Water Treatment System Above 50 LPH Filtration Capacity, Water proof HDPE/PP Woven Sack (for packing) - OFB, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781
	<p>Searched String: 1.5 hp starter</p> <p>Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Desktop Computers, Flood Light Luminaire Suitable for HPSV Lamps (V2) as per IS 10322 (Part 5 / Sec 5), Labelling Machine, High Pressure Sodium Vapour Lamps (HPSV Lamps) as per IS 9974 (Part 1 and 2), Battery Cell as per IS 9128, IS 8144, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Laminators, Electric Kettles and Jugs for Household as per IS 367, Cellophane paper</p> <p>Searched String: 25mm Aluminium Line Connector</p> <p>Needle Free Connector with Extension Tube, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Connector Mounting Hardware - Multi Plug, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Aerial Bunched Cables as per IS 14255, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Combination Board</p> <p>Searched String: 50mm Aluminium Line Connector</p> <p>Needle Free Connector with Extension Tube, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Connector Mounting Hardware - Multi Plug, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Aerial Bunched Cables as per IS 14255, Tower Ladder (V2), Cat 6 Patch cord</p> <p>Searched String: 70mm Aluminium Line Connector</p> <p>Hose connector, Line Interactive UPS with AVR (V2), Profibus Connector, Connector Mounting Hardware - Multi Plug, SMA connector, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), RCA connector, Pole Mounted Stainless Steel Dustbin (V2), Connector Glass, Sutures (V2)</p> <p>Searched String: 95mm Aluminium Line Connector</p> <p>Needle Free Connector with Extension Tube, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Connector Mounting Hardware - Multi Plug, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC</p>

Bid Details/As per	Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>(Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Combination Board, CAT 6 Cable for Outdoor</p> <p>Searched String: 120mm Aluminium Line Connector</p> <p>Needle Free Connector with Extension Tube, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Connector Mounting Hardware - Multi Plug, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Platform step ladder, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Combination Board</p> <p>Searched String: 25mm Aluminium Lugs Ring type</p> <p>Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Customised Envelopes, Non Sparking Double Ended Ring Spanner (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: 35mm Aluminium Lugs Ring type</p> <p>Ring Type Needle Bearings - IS 4215, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Pin Up Notice Board (V2), Non Sparking Ring Slugging Spanners (V2), modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Double Ended Ring Spanner (V2), Customised Envelopes</p> <p>Searched String: 50mm Aluminium Lugs Ring type</p> <p>Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Laundry Type Washing Machines / Drying Machines, Non Sparking Double Ended Ring Spanner (V2), Customised Envelopes</p> <p>Searched String: 70mm Aluminium Lugs Ring type</p> <p>Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2),</p>

Bid Details/As per IS 7098

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Non Sparking Double Ended Ring

Spanner (V2), Customised Envelopes

Searched String: 95mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Customised Envelopes, Non Sparking Double Ended Ring Spanner (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425

Searched String: 120mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Mobile Containers for Solid Waste as per IS 12402, Non Sparking Double Ended Ring Spanner (V2), Mobile Containers For Solid Waste (Industrial) - IS 12402

Searched String: 150mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Customised Envelopes, Non Sparking Double Ended Ring Spanner (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425

Searched String: 240mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Mobile Containers For Solid Waste (Industrial) - IS 12402, Non Sparking Double Ended Ring Spanner (V2), Customised Envelopes

Searched String: 300mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board (V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Customised Envelopes, Non Sparking Double Ended Ring Spanner (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425

Searched String: 400mm Aluminium Lugs Ring type

Ring Type Needle Bearings - IS 4215, Pin Up Notice Board

Bid Details/As Per	(V2), Parliament Hinges-IS:362, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead
	<p>Transmission Purposes (V2) Conforming To IS 398, modular electrical enclosure switch board boxes for modular type accessories, Non Sparking Ring Slugging Spanners (V2), Customised Envelopes, Non Sparking Double Ended Ring Spanner (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425</p> <p>Searched String: Heat gun</p> <p>Tranquilizer Gun, Laboratory Incubators, Glue gun, Paint spray gun, Airless spray gun, Solar Water Heating System as per IS 12976:1990, Heat Seal Sterilization Roll With Chemical Indicator, Speed Radar Gun, Heat Shrink Termination Kit as per IS 60840, Pneumatic Sealant gun</p> <p>Searched String: W D 40 500 ML Each</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CRC 500 ML Each</p> <p>Glass Cleaner, Liquid (V2) as per IS 8540, Rust Remover Solution, Alcohol Based Hand Rub / Hand Sanitizer, Leak Detection Compound, Oxygen Systems (Defence), Floor Cleaner (V2), Electronic component cleaner (co2), Toilet Cleaner Liquid as per IS 7983, Non Flammable Electronic Contact Cleaner, Toilet Cleaner Liquid (V2) conforming to IS 7983, Quarternary Ammonium Compound Based Surface Cleaner, Liquid</p> <p>Searched String: 0.5 inch Ceiling Black Screw</p> <p>Black Tea as per IS 3633, Plain Washer as per IS 2016, Needle Valve, Black Pepper, Digital Temperature Indicator, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Weightlifting Discs</p> <p>Searched String: 1 inch Ceiling Black Screw</p> <p>Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Bio - Medical Waste Collection Bags (Biohazard Bags), Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Plain Washer as per IS 2016, Sutures (V2), General Purpose Ball Valves (V2), Screw Drivers as per IS 844, Interactive Panels with CPU, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Television (TV) (V2)</p> <p>Searched String: 1.5 inch Ceiling Black Screw</p> <p>General Purpose Ball Valves (V2), Hand Operated Hydraulic Pipe Bender, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, Triple Purpose Nozzle as per IS 2871, Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Digital Temperature Indicator, Stainless Steel ANSI B16.5 Flange</p> <p>Searched String: 2 inch Ceiling Black Screw</p> <p>Karabiners Screw Type MK - 2 (Defence), Television (TV)</p>

Bid Details/As per IS

(V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Bio - Medical Waste Collection Bags

(Biohazard Bags), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Caution / Crime Scene Tape (V2), Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), General Purpose Ball Valves (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Plain Washer as per IS 2016

Searched String: 2.5 inch Ceiling Black Screw

General Purpose Ball Valves (V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Screw Drivers as per IS 844, 4.5mm Broad D.C. Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, Triple Purpose Nozzle as per IS 2871, Stainless Steel ANSI B16.5 Flange, Weightlifting Discs

Searched String: 60 x2.0 mm Cable Ties

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Work Benches, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Pins or Tacks as per IS 5653, Online UPS (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Sterile Hypodermic Needles for Single use (V2), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1)

Searched String: 100 x 2.2 Cable Ties

Cable Cross Over (Version 2), Laminar air flow cabinets or stations, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Multicore Cable as per IS 694, Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vacuum Filtration Equipment as per IS 10037 (Part 2), Server, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), Platform Trolley (V2)

Searched String: 150 x 2.5 Cable Ties

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Nylon cable Tie, Server, Power cable for direct burial xlpe ugac cable for DMRC, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Multimedia Projector (MMP), Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape

Searched String: 200 x 7.6 mm Cable Ties

Sofa Set (Steel Tube), Nylon cable Tie, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098

Bid Details/As per

(Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), CAT 6 Cable for Outdoor, Portable Toilet, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Picket Steel as per DGS&D Drawing

Searched String: 300 x 7.6 mm Cable Ties

Sofa Set (Steel Tube), Corrugated Boxes, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), CAT 6 Cable for Outdoor, Nylon cable Tie, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611

Searched String: 5x5 inch Hylam sheet

Phenolic Laminated Sheets As per IS 2036, Cleaning Duster (V3), Grooved gasket, Cleaning Duster (V2), Sticky Mat for IVF Lab & OT, All in One PC, Bio - Medical Waste Collection Bags (Biohazard Bags), Laptop - Notebook, laboratory hotplates, Handloom Cotton Bed Sheets (V2) as per IS 745

Searched String: 6x8 inch Hylam sheet

Phenolic Laminated Sheets As per IS 2036, Cleaning Duster (V3), Grooved gasket, All in One PC, Sticky Mat for IVF Lab & OT, Cleaning Duster (V2), Bio - Medical Waste Collection Bags (Biohazard Bags), laboratory hotplates, Handloom Cotton Bed Sheets (V2) as per IS 745, Mayo Scissors

Searched String: 8x12 inch Hylam sheet

Phenolic Laminated Sheets As per IS 2036, Cleaning Duster (V3), Grooved gasket, Cleaning Duster (V2), Sticky Mat for IVF Lab & OT, All in One PC, Bio - Medical Waste Collection Bags (Biohazard Bags), laboratory hotplates, Handloom Cotton Bed Sheets (V2) as per IS 745, Laboratory Hot plate

Searched String: 6 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, patient care mattresses, Wireline Diamond Core Bit Set, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, NQ 82mm OD TC Core Bit (CMPDI), Conventional Drill Bits for Surface Mineral Exploration, Sofa Set (Steel Tube), Drilling Machine Bench Type / Pillar Type as per IS 2425, NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: 8 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Sofa Set (Steel Tube), Wireline Diamond Core Bit Set, Climbing Rope Nylon, Glacier Region (Defence), NQ 82mm OD TC Core Bit (CMPDI), Drilling Machine Bench Type / Pillar Type as per IS 2425, Conventional Drill Bits for Surface Mineral Exploration, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, Rotary Hammer Drill (NDRF), NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI)

Bid Details/اس ٲاٲاٲ **Searched String:** 10 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Drilling Machine Bench Type / Pillar Type as per IS 2425, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Drill Bit Sets as per IS 5102, IS 5101, IS 5103, Wireline Diamond Core Bit Set, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), NQ 82mm OD TC Core Bit (CMPDI), Rotary Hammer Drill (NDRF), Conventional Drill Bits for Surface Mineral Exploration, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694

Searched String: 12 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Wireline Diamond Core Bit Set, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, NQ 82mm OD TC Core Bit (CMPDI), Drilling Machine Bench Type / Pillar Type as per IS 2425, Conventional Drill Bits for Surface Mineral Exploration, Rotary Hammer Drill (NDRF), Connection Pipe with Nuts (V2), NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), traffic signs - bilinker light

Searched String: 16 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Wireline Diamond Core Bit Set, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, NQ 82mm OD TC Core Bit (CMPDI), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Conventional Drill Bits for Surface Mineral Exploration, Sofa Set (Steel Tube), Drilling Machine Bench Type / Pillar Type as per IS 2425, NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), Rotary Hammer Drill (NDRF)

Searched String: 18 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Drilling Machine Bench Type / Pillar Type as per IS 2425, Wireline Diamond Core Bit Set, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, NQ 82mm OD TC Core Bit (CMPDI), Rotary Hammer Drill (NDRF), Conventional Drill Bits for Surface Mineral Exploration, LED Batten, Pins or Tacks as per IS 5653, NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI)

Searched String: 20 MM Drill Bit

Wireline Drill Bits for Surface Mineral Exploration, Drilling Machine Bench Type / Pillar Type as per IS 2425, Wireline Diamond Core Bit Set, Drill Bit Sets as per IS 5102, IS 5101, IS 5103, NQ 82mm OD TC Core Bit (CMPDI), LED Batten, Conventional Drill Bits for Surface Mineral Exploration, Rotary Hammer Drill (NDRF), NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), Commercial CPVC Pipe Fittings

Searched String: Machine screw 1.5 Inch

Fogging Machine (V2) as per IS 14855 (Part 1), All in One PC, Fogging Machine as per IS 14855 (Part 1), Hand Operated Hydraulic Pipe Bender, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Multifunction Machines MFM, Laboratory Glassware Bottles

	Bid Details/बिड विवरण (Screw - Neck Bottles) as per IS 1388 (Part 1), Household Zig - Zag Sewing Machine Head, Battery Cell as per IS 9128, IS 8144, Screwing Taps - Hand And Short Machine (BHEL)
	Searched String: Pop up Box 1 Universal socket 1 Switch Electrical Box Extension (V3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) • Multi-Pin electrical top for industrial application • LED Tube Light (Retrofit Type)
BOQ Title/बीओक्यू शीर्षक	Supply of Elctrical Items
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	LED Tube Light 36 Watt
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण	
Estimated Bid Value/अनुमानित बिड मूल्य	696265
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	14000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	13

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

IIM Bodh gaya
BIHAR, Department of Higher Education, Indian Institute of Management (IIM), Ministry of Education
(Iim Bodh Gaya)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of

purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Financial - [1748413351.xlsx](#)

PVC Modular Box 3M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	70	15

Cover Plate 3M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	100	15

Ceiling Rose

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

Batten Holder

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	90	15

Double Pole MCB 63 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

Four Pole TPN MCB 63 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

Lug Pin Type 16 Sqmm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	150	15

Lug Ring Type 16 Sqmm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	150	15

6 MM Fasterner

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	300	15

8 MM Fasterner

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	------------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	300	15

12 MM Fasterner

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

LED Tube Light 36 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	400	15

LED Bulb 12 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	900	15

3 Pin Top 16 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	300	15

3 Pin Top 6 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	120	15

1.5 HP Submersible Water Sealed Pump With Starter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1	15

Switch 6 Amp One Way Non Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	300	15

Socket 6 A Non Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	200	15

Fan Regulator Non Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

2.5 Mfd. Capacitor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234, Indian Institute of Management Boddh Gaya	400	15

60 Mfd. Capacitor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

100 120 Mfd. Capacitor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

Water Proof Tape

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	100	15

1.5 Hp Starter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	3	15

25mm Aluminium Line Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

50mm Aluminium Line Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

70mmAluminium Line Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

95mm Aluminium Line Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

120mm Aluminium Line Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

25mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	------------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

35mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

50mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

70mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	60	15

95mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	60	15

120mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	60	15

150mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

240mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

300mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

400mm Aluminium Lugs Ring Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	30	15

Heat Gun

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234, Indian Institute of Management Boddh Gaya	1	15

W D 40 500 ML Each

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	10	15

CRC 500 ML Each

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	10	15

0.5 Inch Ceiling Black Screw

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1000	15

1 Inch Ceiling Black Screw

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1000	15

1.5 Inch Ceiling Black Screw

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1000	15

2 Inch Ceiling Black Screw

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1000	15

2.5 Inch Ceiling Black Screw

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	1000	15

60 X2.0 Mm Cable Ties

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

100 X 2.2 Cable Ties

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

150 X 2.5 Cable Ties

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	------------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234, Indian Institute of Management Boddh Gaya	30	15

200 X 7.6 Mm Cable Ties

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234, Indian Institute of Management Boddh Gaya	30	15

300 X 7.6 Mm Cable Ties

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	10	15

5x5 Inch Hylam Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	50	15

6x8 Inch Hylam Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	40	15

8x12 Inch Hylam Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	20	15

6 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	20	15

8 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	5	15

10 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	5	15

12 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	5	15

16 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234, Indian Institute of Management Boddh Gaya	5	15

18 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	5	15

20 MM Drill Bit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	5	15

Machine Screw 1.5 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	500	15

Pop Up Box 1 Universal Socket 1 Switch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Abhishek Kumar	824234,Indian Institute of Management Boddh Gaya	10	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to

minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

IIM BODH GAYA
URUVELA
PRABANDH VIHAR
BODH GAYA
BIHAR
.

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

IIM Bodh Gaya
Account No.
35289661031
IFSC Code
SBIN0002739
Bank Name
SBI
Branch address
Bodh Gaya
.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---